

NEET PRINCIPLES OF INHERITANCE AND VARIATION — INCOMPLETE DOMINANCE, CO-DOMINANCE AND MULTIPLE ALLELISM (ABO BLOOD GROUPS) — PYQS

Max. Marks: 88

Questions: 22

Section A (MCQ) — 22 questions

Q.1 Match List I with List II : [NEET (UG) 2026]

List-I		List-II	
A.	Incomplete dominance	I.	Human skin colour
B.	Co-dominance	II.	Inheritance of flower colour in <i>Antirrhinum</i> sp.
C.	Pleiotropy	III.	Phenylketonuria disease in humans
D.	Polygenic inheritance	IV.	ABO blood groups

- (1) A-I, B-IV, C-III, D-II (2) A-I, B-III, C-II, D-IV
(3) A-II, B-IV, C-III, D-I (4) A-II, B-I, C-III, D-IV

Scan or tap for the full solution



Q.2 What is the probability of having children with 'O' blood group, where both mother and father are heterozygous for 'A' and 'B' blood group, respectively? [NEET (UG) 2026]

- (1) 0% (2) 50% (3) 25% (4) 75%

Scan or tap for the full solution



Q.3 For a person with blood group 'O', which of the following is not a possible combination of parents' blood group genotypes? [RE-NEET (UG) 2026]

- (1) Father : $I^A I^B$ and Mother : $I^A i$
(2) Father : $I^A i$ and Mother : $I^A i$
(3) Father : $I^A i$ and Mother : $I^B i$
(4) Father : $I^B i$ and Mother : $I^B i$

Scan or tap for the full solution



Q.4 A pink flowered Snapdragon plant was crossed with a red flowered Snapdragon plant. What type of phenotype/s is/are expected in the progeny? [NEET (UG) 2024]

- (1) Only red flowered plants
(2) Red flowered as well as pink flowered plants
(3) Only pink flowered plants
(4) Red, Pink as well as white flowered plants

Scan or tap for the full solution



Q.5 As per ABO blood grouping system, the blood group of father is B^+ , mother is A^+ and child is O^+ . Their respective genotype can be

- A. $I^B i / I^A i / ii$ B. $I^B I^B / I^A I^A / ii$
C. $I^A I^B / i I^A / I^B i$ D. $I^A i / I^B i / I^A i$
E. $i I^B / i I^A / I^A I^B$

Choose the most appropriate answer from the options given below : [NEET (UG) 2024]

- (1) A only (2) B only
(3) C & B only (4) D & E only

Scan or tap for the full solution



Q.6 The mother has A + blood group, the father has B + and the child is A + . What can be the possibility of genotypes of all three, respectively?

- A. $I^A I^A | I^B i | I^B i$ B. $I^A I^A | I^B i | I^A i$
C. $I^B i | I^A I^A | I^A I^B$ D. $I^A I^A | I^B I^B | I^A i$
E. $I^A i | I^B i | I^A i$

Choose the correct answer from the options given below: [RE-NEET (UG) 2024]

- (1) C and D (2) D and A (3) A and B (4) B and E

Scan or tap for the full solution



Q.7 Identify the wrong statement with reference to the gene 'I' that controls ABO blood groups. [NEET (UG) 2020]

- (1) Allele 'i' does not produce any sugar.
(2) The gene (I) has three alleles.
(3) When I^A and I^B are present together, they express same type of sugar.
(4) A person will have only two of the three alleles.

Scan or tap for the full solution



Q.8 In *Antirrhinum* (Snapdragon), a red flower was crossed with a white flower and in F_1 generation, pink flowers were obtained. When pink flowers were selfed, the F_2 generation showed white, red and pink flowers. Choose the **incorrect** statement from the following : [NEET (UG) 2019]

- (1) Ratio of F_2 is $\frac{1}{4}$ (Red) : $\frac{2}{4}$ (Pink) : $\frac{1}{4}$ (White)
- (2) Law of Segregation does not apply in this experiment
- (3) This experiment does not follow the Principle of Dominance
- (4) Pink colour in F_1 is due to incomplete dominance

Scan or tap for the full solution



Q.9 Which of the following pairs is wrongly matched? [NEET 2018]

- (1) Starch synthesis in pea : Multiple alleles
- (2) ABO blood grouping : Co-dominance
- (3) XO type sex determination: Grasshopper
- (4) T.H. Morgan : Linkage

Scan or tap for the full solution



Q.10 Which of the following characteristics represent 'Inheritance of blood groups' in humans?
 A. Dominance B. Co-dominance
 C. Multiple allele D. Incomplete dominance
 E. Polygenic inheritance

[NEET 2018]

- (1) B, C and E only (2) A, B and C only
- (3) B, D and E only (4) A, C and E only

Scan or tap for the full solution



Q.11 The genotypes of a Husband and Wife are $I^A I^B$ and $I^A i$. Among the blood types of their children, how many different genotypes and phenotypes are possible? [NEET 2017]

- (1) 4 genotypes ; 3 phenotypes
- (2) 4 genotypes ; 4 phenotypes
- (3) 3 genotypes ; 4 phenotypes
- (4) 3 genotypes ; 3 phenotypes

Scan or tap for the full solution



Q.12 When dominant and recessive alleles express themselves together it is called [AIPMT 2001]

- (1) Dominance (2) Pseudo dominance
- (3) Co-dominance (4) Amphidominance

Scan or tap for the full solution



Q.13 Multiple alleles are present [AIPMT 2015 (Cancelled)]

- (1) on different chromosomes
- (2) at the same locus of the chromosome
- (3) at different loci on the same chromosome.
- (4) on non-sister chromatids

Scan or tap for the full solution



Q.14 A man with blood group 'A' marries a woman with blood group 'B'. What are all the possible blood groups of their offsprings? [AIPMT 2015 (Cancelled)]

- (1) A and B only (2) A, B, AB and O
- (3) A, B and AB only (4) O only

Scan or tap for the full solution



Q.15 If two persons with 'AB' blood group marry and have sufficiently large number of children, these children could be classified as 'A' blood group : 'AB' blood group : 'B' blood group in 1 : 2 : 1 ratio. Modern technique of protein electrophoresis reveals presence of both 'A' and 'B' type proteins in 'AB' blood group individuals. This is an example of :

[NEET 2013]

- (1) Codominance
- (2) Partial dominance
- (3) Incomplete dominance
- (4) Complete dominance

Scan or tap for the full solution



Q.16 Which idea is depicted by a cross in which the F_1 generation resembles both the parents?

[NEET 2013]

- (1) law of dominance
- (2) co-dominance
- (3) incomplete dominance
- (4) inheritance of one gene

Scan or tap for the full solution



Q.17 F_2 generation in a Mendelian cross showed that both genotypic and phenotypic ratios are same as 1 : 2 : 1. It represents a case of [AIPMT 2012 (Prelims)]

- (1) Monohybrid cross with incomplete dominance
- (2) Co-dominance
- (3) Monohybrid cross with complete dominance
- (4) Dihybrid cross

Scan or tap for the full solution



Q.18 ABO blood grouping is controlled by gene I which has three alleles and shows co-dominance. There are six genotypes. How many phenotypes in all are possible - [AIPMT 2010 (Mains)]

- (1) five (2) four (3) three (4) six

Scan or tap for the full solution



Q.19 In *Antirrhinum* two plants with pink flowers were hybridized. The F_1 plants produced red, pink and white flowers in the proportion of 1 red, 2 pink and 1 white. What could be the genotype of the two plants used for hybridization? Red flower colour is determined by RR, and White by rr genes -

[AIPMT 2010 (Mains)]

- (1) rrrr (2) rr (3) Rr (4) RR

Scan or tap for the full solution



Q.20 ABO blood groups in humans are controlled by the gene I. It has three alleles – I^A , I^B and i. Since there are three different alleles, six different genotypes are possible. How many phenotypes can occur –

[AIPMT 2010 (Prelims)]

- (1) One (2) Two (3) Three (4) Four

Scan or tap for the full solution



Q.21 The most popularly known blood grouping is the ABO grouping. It is named ABO and not ABC, because "O" in it refers to having: [AIPMT 2009]

- (1) Other antigens besides A and B on RBCs
(2) No antigens A and B on RBCs
(3) Overdominance of this type on the genes for A and B types
(4) One antibody only – either anti-A or anti-B on the RBCs

Scan or tap for the full solution



Q.22 Erythroblastosis foetalis is caused when:

[AIPMT 2000]

- (1) Rh^- female & Rh^+ male
(2) Rh^- female & Rh^- male
(3) Rh^+ female & Rh^+ male
(4) Rh^+ female & Rh^- male

Scan or tap for the full solution



ANSWER KEY

Ques.	1	2	3	4	5	6	7	8	9	10	11
Ans.	3	3	1	2	1	4	3	2	1	2	1
Ques.	12	13	14	15	16	17	18	19	20	21	22
Ans.	3	2	2	1	2	1	2	3	4	2	1