

RE-NEET (UG) 2026 — QUESTION PAPER

Max. Marks: 720

Questions: 180

Section A (MCQ) — 180 questions

- Q.1** A photon and an electron, each of 20 eV energy, move in free space. The ratio of linear momentum of electron p_e to that of photon p_{ph} , $\frac{p_e}{p_{ph}}$ is:

[Take speed of light = 3×10^8 m s⁻¹, charge of electron = -1.6×10^{-19} C and mass of electron = 9×10^{-31} kg] [RE-NEET (UG) 2026]

- (1) 275 (2) $\frac{2}{450}$ (3) $\frac{1}{250}$ (4) 225


Scan or tap for the full solution



- Q.2** Water flows in a streamline motion through a horizontal pipe of circular cross-section as shown in the figure. The pressure difference of water between P and Q is 15 N m^{-2} . The area of cross-section at P and Q are 40 cm^2 and 20 cm^2 , respectively. The rate of flow of water through the pipe, in $\text{cm}^3 \text{ s}^{-1}$, is:

[Take density of water = 1000 kg m^{-3}]

[RE-NEET (UG) 2026]


- 
- (1) 400 (2) 100 (3) 200 (4) 300

Scan or tap for the full solution



- Q.3** A thin horizontal disc is rotating about a vertical axis passing through its fixed centre O. Its angular momentum is L_A and L_B computed about points A and B, respectively, with $OB = 2 \times OA$. The value of $\frac{L_A}{L_B}$ is:

[RE-NEET (UG) 2026]



- (1) 2 (2) $\frac{1}{4}$ (3) $\frac{1}{2}$ (4) 1

Scan or tap for the full solution



- Q.4** Consider a long solenoid of length l and radius r . If n is the number of turns per unit length and μ_0 is the permeability of free space, the inductance of the solenoid is :

[RE-NEET (UG) 2026]

- (1) $2\mu_0\pi n^2 r^2 l$ (2) $\mu_0\pi n^2 r^2 l$
 (3) $\mu_0 n^2 r^2 l$ (4) $(\mu_0/2\pi)n^2 r^2 l$

Scan or tap for the full solution



- Q.5** The temperature of a metallic sphere of radius R is increased by a small amount ΔT . If the linear coefficient of thermal expansion of the metal is α , the approximate increase in the volume of the sphere is:

[RE-NEET (UG) 2026]


- (1) $6\pi R^3 \alpha \Delta T$ (2) $2\pi R^3 \alpha \Delta T$
 (3) $3\pi R^3 \alpha \Delta T$ (4) $4\pi R^3 \alpha \Delta T$

Scan or tap for the full solution



- Q.6** Consider two circuits, (A) and (B), each having two resistors. One of them has a positive temperature coefficient of resistance, $+\alpha$, while the other one has a negative temperature coefficient, $-\alpha$, as shown in the figure. The current through these circuits are denoted by I_A and I_B . At initial temperature, the resistance of the two resistors is R_0 . As the temperature is increased, the correct option that describes the variation of current in these circuits is:

[RE-NEET (UG) 2026]




- (1) both I_A and I_B remain constant
 (2) I_A remains constant while I_B increases
 (3) I_A decreases while I_B increases
 (4) I_A increases while I_B decreases

Scan or tap for the full solution




- Q.7** A beam of light falls on a metal surface such that photo-electrons are generated. If power of the light source starts to decrease linearly with time t , then variation of the photocurrent I and magnitude of the stopping potential $|V|$ with time is best represented by: [RE-NEET (UG) 2026]



Scan or tap for the full solution




- Q.8** An ideal Zener diode with breakdown voltage of -3 V is reverse biased with a negative input voltage $V_i = -5\text{ V}$. The magnitude of voltage difference between point B and A is: [RE-NEET (UG) 2026]



Scan or tap for the full solution



- Q.9** In the measurement of viscosity of liquids using terminal velocity experiment, spherical balls of same radius but having different densities are used. The variation of the terminal velocity (v) with the ratio of density of spherical ball (σ) to density of the liquid (ρ), is best represented by: [RE-NEET (UG) 2026]



Scan or tap for the full solution



- Q.10** Two planets P_1 and P_2 with equal mass have radii R_1 and R_2 , respectively, where $R_2 = \frac{R_1}{2}$. The escape speeds of P_1 and P_2 are v_1 and v_2 , respectively. Then $\frac{v_2}{v_1}$ is: [RE-NEET (UG) 2026]

- (1) 2 (2) $\frac{1}{\sqrt{2}}$ (3) 1 (4) $\sqrt{2}$

Scan or tap for the full solution



- Q.11** An ac voltage $V = 220\sin(2 \times 10^3 t)$ Volt is applied to a series LCR circuit. Then the current amplitude in this circuit is:


(Given : $L = 10\text{ mH}$, $C = 25\text{ }\mu\text{F}$, $R = 100\text{ }\Omega$)

- (1) 22.0 A (2) 2.2 A (3) 5.5 A (4) 11.0 A

Scan or tap for the full solution



- Q.12** Two identical inductors are connected in two different configurations P and Q, where a time varying current $I(t)$ is flowing, as shown in the figure. The induced emf between points a and b for configuration P is E_P and that for configuration Q is E_Q . The ratio E_P/E_Q is: [Neglect the effect of mutual inductance.] [RE-NEET (UG) 2026]




- (1) 2 (2) $1/4$ (3) $1/2$ (4) 1

Scan or tap for the full solution



- Q.13** Three identical capacitors, P, Q and S, each of the capacitance C , are connected to a battery of voltage V , as shown in the figure. If the energy stored in the capacitor P and total energy stored in the system are U_P and U_T , respectively, then the ratio $\frac{U_P}{U_T}$ is: [RE-NEET (UG) 2026]




- (1) $1/6$ (2) $2/3$ (3) $1/3$ (4) $1/2$

Scan or tap for the full solution



- Q.14** A conducting loop of finite resistance lies on the $x - y$ plane. There is a constant magnetic field in the z direction. The area of the loop varies with time t , as $A = A_0(1 + \sin t)$ in appropriate units. The figure that correctly indicates the qualitative behaviour of the power P dissipated in the loop as a function of time is: [RE-NEET (UG) 2026]



Scan or tap for the full solution



- Q.15** In an adiabatic expansion, the temperature of one mole of an ideal monatomic gas ($\gamma = 5/3$) decreases from 60 K to 50 K. The work done by the gas in the process is:

(Take the universal gas constant as

$R = 8.3 \text{ J mol}^{-1} \text{ K}^{-1}$)

- (1) 166 J (2) 41.5 J (3) 83 J (4) 124.5 J

Scan or tap for the full solution



- Q.16** Consider a particle moving along a straight line, whose position as a function of time is given by $s(t) = \alpha t^2 - \beta t + \gamma$, where $\alpha = 1 \text{ m s}^{-2}$, $\beta = 6 \text{ m s}^{-1}$ and $\gamma = 5 \text{ m}$. The average speed of the particle, in m s^{-1} from $t = 0$ to $t = 6 \text{ s}$ is: [RE-NEET (UG) 2026]

- (1) 0 (2) 12 (3) 6 (4) 3

Scan or tap for the full solution



- Q.17** The following table presents the part of the electromagnetic spectrum and their corresponding major applications. [RE-NEET (UG) 2026]

Part of the electromagnetic spectrum		Applications	
P.	Microwave	I.	For purifying the water
Q.	UV rays	II.	For warming the food
R.	Gamma rays	III.	For AM and FM communication systems
S.	Radio wave	IV.	For treating the Cancer cells

- (1) P-II, Q-IV, R-III, S-I (2) P-I, Q-II, R-III, S-IV
(3) P-I, Q-IV, R-II, S-III (4) P-II, Q-I, R-IV, S-III

Scan or tap for the full solution



- Q.18** An ideal gas is made of polyatomic molecules. Each of the molecules has three translational, three rotational and f number of vibrational modes. If the ratio of heat capacities C_P/C_V of the gas is $8/7$, then the value of f is: [RE-NEET (UG) 2026]


- (1) 1 (2) 4 (3) 3 (4) 2

Scan or tap for the full solution



- Q.19** A unit positive point charge is taken slowly through an infinitesimally thin tube that is inside a charged dielectric sphere of radius R , having uniform positive charge density ρ , as shown in the figure. The initial and final positions of the charge are marked by A and B at distance $2R$ and $3R$ respectively, from the centre of the sphere. In this process, the magnitude of the total work done on the point charge is $\frac{\rho R^2}{n\epsilon_0}$. The value of n is : (ϵ_0 is the permittivity of vacuum)

[RE-NEET (UG) 2026]




- (1) 18 (2) 2 (3) 6 (4) 9

Scan or tap for the full solution



- Q.20** A current I_0 flows through a metallic circular loop of radius r as shown in the figure. Resistance of the segment ABC is half that of ADC. Magnitude of magnetic field at the centre O of the loop is :

[RE-NEET (UG) 2026]




- (1) $\frac{\mu_0 I_0}{2\pi r}$ (2) $\frac{\mu_0 I_0}{12r}$ (3) $\frac{\mu_0 I_0}{4r}$ (4) $\frac{\mu_0 I_0}{2r}$

Scan or tap for the full solution



- Q.21** Bob B of mass m at rest is hanging vertically from the ceiling via a massless string of length 10 m, as shown in the figure. Point mass A of mass m travelling horizontally with speed 10 ms^{-1} hits bob B elastically. The bob B rises h meter after the collision. Taking the acceleration due to gravity $g = 10 \text{ ms}^{-2}$ and neglecting the size of the bob, the value of h is: [RE-NEET (UG) 2026]



Scan or tap for the full solution



- Q.22** An electromagnetic wave travelling in a lossless dielectric medium having a dielectric constant, $\epsilon_r = 9$, has the electric field, $E_x = E_0 \sin(kz - 2\pi \times 10^6 t) \text{ Vm}^{-1}$ where E_0 is the amplitude and k is the wave vector. Among the following options, the incorrect choice is [RE-NEET (UG) 2026]

- (1) The direction of propagation of the electromagnetic wave is along $+z$
 (2) The speed of the electromagnetic wave inside the medium is 10^8 ms^{-1}
 (3) The wavelength of the electromagnetic wave inside the medium is 300 m
 (4) The magnetic field is given by the relation $B_y = \frac{E_0}{v} \sin(kz - 2\pi \times 10^6 t)$ where v is the speed of the electromagnetic wave inside the medium

Scan or tap for the full solution




- Q.23** A particle of mass M moves along a horizontal x axis from $x = 0$ to $x = L$. The coefficient of kinetic friction varies as a function of x as $\mu_k(x) = \mu_0 - \alpha x$, where μ_0, α are constants of appropriate dimensions, so that $\mu_k(L) = 0$. The total work done by the frictional force during the motion is $n\mu_0 MgL$, where g is the acceleration due to gravity. The value of n is: [RE-NEET (UG) 2026]

- (1) $\frac{1}{2}$ (2) 3 (3) 1 (4) $\frac{1}{3}$

Scan or tap for the full solution



- Q.24** Consider three media P, Q and R with refractive indices 1, 1.25, and 1.5 respectively. The medium Q having a thickness of 5 cm is placed between extended media P and R as shown in the figure. An object O is placed at the centre of medium Q. If viewed from medium P near the normal direction, the apparent depth of O is h_1 . For similar observation from medium R, the apparent depth is h_2 . The value of $|h_1 - h_2|$, in cm, is: [RE-NEET (UG) 2026]



Scan or tap for the full solution



- Q.25** Consider a fixed uniformly charged insulating sphere with radius R and total charge $+Q$. A point charge $-q$ ($q \ll Q$) with mass m is released from rest at a distance of $3R$ from the centre of the charged sphere. When the point charge reaches the surface of the sphere, its speed is: (ϵ_0 is the permittivity of vacuum, neglect gravitational forces). [RE-NEET (UG) 2026]

- (1) $\sqrt{\frac{Qq}{4\pi\epsilon_0 mR}}$ (2) $\sqrt{\frac{3Qq}{4\pi\epsilon_0 mR}}$
 (3) $\sqrt{\frac{2Qq}{3\pi\epsilon_0 mR}}$ (4) $\sqrt{\frac{Qq}{3\pi\epsilon_0 mR}}$

Scan or tap for the full solution



- Q.26** A car travels on a circular racetrack of radius 50 m, which is banked at an angle θ . If the car travels at a speed 10 ms^{-1} , then the wear and tear on its tyres is minimum. Taking the acceleration due to gravity to be 10 ms^{-2} , the value of θ is: [RE-NEET (UG) 2026]

- (1) $\tan^{-1}(2\sqrt{3})$ (2) $\tan^{-1}\left(\frac{1}{5}\right)$
 (3) $\tan^{-1}\left(\frac{2}{5}\right)$ (4) $\tan^{-1}(\sqrt{3}/2)$

Scan or tap for the full solution




- Q.27** In a solar system, the time-period of revolution of a planet tracing a circular orbit of radius R is proportional to: [RE-NEET (UG) 2026]

- (1) R^3 (2) $R^{1/2}$ (3) $R^{3/2}$ (4) R^2

Scan or tap for the full solution




- Q.28** A frictionless circular wire of unit radius is fixed on the horizontal plane. Two-point particles of unit mass start moving simultaneously from point A ($\theta = \frac{\pi}{2}$) with identical uniform angular speeds in opposite directions, and meet again at point B ($\theta = -\frac{\pi}{2}$). During this time, which of the following figures schematically represent the magnitude of the total linear momentum P of the system, as a function of θ ? [RE-NEET (UG) 2026]



Scan or tap for the full solution



- Q.29** Three identical p-n junction diodes D_1 , D_2 , and D_3 are connected across a battery as shown in the figure. If the width of the depletion regions of D_1 , D_2 and D_3 are W_1 , W_2 and W_3 , respectively, then the correct option is: [RE-NEET (UG) 2026]




- (1) $W_2 > W_1 = W_3$ (2) $W_1 > W_2 > W_3$
(3) $W_3 = W_1 > W_2$ (4) $W_3 > W_2 > W_1$

Scan or tap for the full solution



- Q.30** The lens combination as shown in the figure, consists of two lenses, L_1 and L_2 , of the focal lengths +10 cm and -10 cm, respectively. The position of the image formed is:

[RE-NEET (UG) 2026]




- (1) 60 cm to the right of the concave lens
(2) 20 cm to the left of the concave lens
(3) 60 cm to the left of the concave lens
(4) 30 cm to the right of the concave lens

Scan or tap for the full solution



- Q.31** A solid sphere A of radius R and mass M is attached at a point to a smaller solid sphere B of radius $r < R$ and mass $m < M$. Assume that the line joining their centres lies along the horizontal. The moment of inertia of the system calculated about a vertical axis passing through the centre of A is I_A and that calculated about a vertical axis passing through the centre of B is I_B . The difference $I_A - I_B$ is:

[RE-NEET (UG) 2026]



- (1) 0 (2) $(M - m)(R + r)^2$
(3) $(m - M)(R + r)^2$ (4) $(m - M)(R - r)^2$

Scan or tap for the full solution



- Q.32** Consider that an electron is revolving in an excited state of Hydrogen atom with velocity $\sqrt{25.6 \times 10^5} \text{ ms}^{-1}$. The radius of the orbit is $x \times 10^{-9} \text{ m}$. The value of x is:

[Take the mass of electron to be $9 \times 10^{-31} \text{ kg}$, charge of electron = $-1.6 \times 10^{-19} \text{ C}$ and

$$\frac{1}{4\pi\epsilon_0} = 9 \times 10^9 \text{ Nm}^2\text{C}^{-2}] \quad \text{[RE-NEET (UG) 2026]}$$

- (1) 1 (2) 4 (3) 3 (4) 2

Scan or tap for the full solution



- Q.33** The mean free path of molecules in an ideal gas A is half that of another ideal gas B. The diameter of the spherical molecules of gas A is twice the diameter of the molecules of B. If number densities of the gases A and B are n_A and n_B , respectively, the correct option is:

[RE-NEET (UG) 2026]

- (1) $n_A = \frac{1}{2}n_B$ (2) $n_A = n_B$
(3) $n_A = 2n_B$ (4) $n_A = \frac{1}{4}n_B$

Scan or tap for the full solution



- Q.34** A cylindrical cork of uniform density floats in a liquid of density ρ_1 . If the cork is depressed slightly and released, it oscillates harmonically with time period T . If the same cork floats in another liquid of density ρ_2 , then the similar oscillation has time period $2T$. The value of ρ_2/ρ_1 is:

[RE-NEET (UG) 2026]

- (1) $1/4$ (2) 4 (3) 2 (4) $1/2$

Scan or tap for the full solution



- Q.35** For sound waves, if the number of nodes for the 5th harmonic of an open-ended pipe is n and that for the 9th harmonic of the same pipe with one of its ends closed is m , the ratio $\frac{n}{m}$ is


[RE-NEET (UG) 2026]

- (1) $\frac{3}{5}$ (2) $\frac{5}{9}$ (3) $\frac{9}{5}$ (4) 1

Scan or tap for the full solution



- Q.36** Consider the following nuclear reaction



Take masses of ${}^{238}\text{U}$, ${}^{234}\text{Th}$ and ${}^4\text{He}$ as 238.050 u, 234.043 u and 4.003 u, respectively. The Q value for the reaction, in keV, is:

[Given: $1\text{ u} = 931.5\text{ MeV c}^{-2}$] [RE-NEET (UG) 2026]

- (1) 3740 (2) 3726 (3) 3730 (4) 3736

Scan or tap for the full solution



- Q.37** Which of the following measurements require 'index correction'?

[RE-NEET (UG) 2026]

- (1) Measurement of speed of sound using resonance tube
(2) Measurement of resistance of a wire using meter bridge
(3) Measurement of gravitational acceleration using simple pendulum
(4) Measurement of focal length of lenses using optical bench

Scan or tap for the full solution



- Q.38** Consider that σ_s , k_B , b represents Stefan-Boltzmann constant, Boltzmann constant and Wien's displacement law constant, respectively. The dimension of $\sigma_s k_B^{-1} b$ is

[RE-NEET (UG) 2026]

- (1) $[\text{L}^{-1}\text{T}^{-1}\text{K}^{-4}]$ (2) $[\text{L}^{-1}\text{T}^{-1}\text{K}^{-2}]$
(3) $[\text{L}^{-1}\text{K}^{-2}]$ (4) $[\text{L}^{-1}\text{T}^{-1}\text{K}^{-3}]$

Scan or tap for the full solution



- Q.39** A ray of light with wavelength λ is incident on three different photoelectric cells namely 1, 2 and 3. The threshold wavelength of these photoelectric cells are λ_1 , λ_2 , and λ_3 , respectively and the magnitude of stopping potentials of these cells are V_1 , V_2 and V_3 , respectively. The relation between λ and threshold wavelengths are $\lambda_1 < \lambda$, $\lambda_2 > \lambda$ and $\lambda_3 \gg \lambda$. The correct option is:

[RE-NEET (UG) 2026]

- (1) $V_1 < V_2$, $V_3 = 0$ (2) $V_1 = 0$, $V_2 < V_3$
(3) $V_1 = 0$, $V_2 > V_3$ (4) $V_1 > V_2$, $V_3 = 0$

Scan or tap for the full solution



- Q.40** One main scale division of a Vernier calliper is equal to 1 mm and the number of divisions on the Vernier scale is 10. When both the jaws touch each other, the Vernier scale shifts to the left of zero of the main scale in such a way that 4th Vernier division coincides with a division of the main scale. If this Vernier calliper measures the length of the wire to be 1 cm, the actual length of the wire is :

[RE-NEET (UG) 2026]


- (1) 1.04 cm (2) 0.60 cm (3) 0.96 cm (4) 1.00 cm

Scan or tap for the full solution



- Q.41** A point charge Q is placed inside a cavity within a solid isolated conducting sphere. Consider points A, B and C as shown in the figure, where the magnitudes of the electric fields are E_A , E_B , E_C , respectively. The points B and C are at the same distance from the center of the solid sphere. The correct option is :

[RE-NEET (UG) 2026]




- (1) $E_A \neq 0$, $E_B < E_C$ (2) $E_A = 0$, $E_B = E_C$
(3) $E_A \neq 0$, $E_B = E_C$ (4) $E_A = 0$, $E_B > E_C$

Scan or tap for the full solution



- Q.42** In Geiger-Marsden experiment, the number of scattered α -particles $N(\theta)$ is plotted as a function of scattering angle θ . Which of the following options represents the correct plot?


[RE-NEET (UG) 2026]



Scan or tap for the full solution



Q.43 One mole of an ideal monatomic gas undergoes a cyclic process as shown in the figure. The total heat supplied to the gas is: [RE-NEET (UG) 2026]



- (1) 800 J (2) 400 J (3) 500 J (4) 600 J

Scan or tap for the full solution



Q.44 Two infinitely long parallel conducting wires A and B carry currents I and $2I$, respectively, in the same direction. The wire A has uniform mass per unit length λ and lies on an insulated floor. The wire B is kept fixed at a height h above the floor. The minimum magnitude of h so that the wire A does not rise from the floor is:

[g is the acceleration due to gravity and μ_0 is the permeability of free space.] [RE-NEET (UG) 2026]

- (1) $\frac{4\mu_0 I^2}{\pi \lambda g}$ (2) $\frac{\mu_0 I^2}{2\pi \lambda g}$ (3) $\frac{\mu_0 I^2}{\pi \lambda g}$ (4) $\frac{2\mu_0 I^2}{\pi \lambda g}$

Scan or tap for the full solution




Q.45 Consider a spring-mass simple harmonic oscillator in one dimension. The mass of the particle is m kg and the spring constant is k Nm^{-1} . At a given instant, the extension of the spring is x -meter and the speed of the particle is v ms^{-1} . On the $x-v$ plane, if the graph of v as a function of x is a circle, then the correct option is: [RE-NEET (UG) 2026]

- (1) $k = \sqrt{m}$ (2) $k = \frac{1}{m}$
(3) $k = m$ (4) $k = m^2$

Scan or tap for the full solution



Q.46 Consider the following reaction, and choose the correct option. [RE-NEET (UG) 2026]



- (1) Compound P is obtained by the hydrogenation of benzoyl chloride with Pd on BaSO_4
- (2) On treating compound P with saturated NaHCO_3 solution, brisk effervescence is observed
- (3) Compound P can be prepared by treating benzene with anhydrous AlCl_3 and CH_3COCl
- (4) On treating with bromine water, compound P gives a white precipitate

Scan or tap for the full solution



Q.47 The formula of tetraammineaquachloridocobalt(III) chloride is [RE-NEET (UG) 2026]

- (1) $[\text{Co}(\text{NH}_3)_4(\text{H}_2\text{O})\text{Cl}]\text{Cl}_2$
- (2) $[\text{Co}(\text{NH}_3)_4\text{Cl}_2] \cdot \text{H}_2\text{O}$
- (3) $[\text{Co}(\text{NH}_3)_4]\text{Cl}_3 \cdot \text{H}_2\text{O}$
- (4) $[\text{Co}(\text{NH}_3)_4(\text{H}_2\text{O})\text{Cl}]\text{Cl}$

Scan or tap for the full solution




Q.48 The lanthanide ion having four unpaired electrons is (Given : Atomic numbers of Ce = 58, Nd = 60, Tb = 65 and Ho = 67) [RE-NEET (UG) 2026]

- (1) Ho^{3+} (2) Nd^{3+} (3) Ce^{3+} (4) Tb^{3+}

Scan or tap for the full solution



Q.49 For an elementary chemical reaction, the Arrhenius plot is given below.



If the energy of activation is 6.64 kJ mol^{-1} and $R = 8.3 \text{ J K}^{-1} \text{ mol}^{-1}$, the temperature at which the rate constant becomes $e^2 \text{ min}^{-1}$, is

[RE-NEET (UG) 2026]

- (1) 250 K (2) 125 K (3) 150 K (4) 200 K

Scan or tap for the full solution



Q.50 The green paramagnetic species formed by heating KMnO_4 at 513 K is [RE-NEET (UG) 2026]


- (1) KO_2 (2) K_2MnO_4 (3) Mn_3O_4 (4) MnO

Scan or tap for the full solution




Q.51 Given below are two statements :

Statement-I: trans-But-2-ene upon treatment with Br_2 in CCl_4 gives the following product.



Statement-II: cis-But-2-ene upon treatment with alkaline KMnO_4 gives the following product.



In the light of the above statements, choose the most appropriate answer from the options given below.


[RE-NEET (UG) 2026]

- (1) Statement-I is incorrect but Statement-II is correct
 (2) Both Statement-I and Statement-II are correct
 (3) Both Statement-I and Statement-II are incorrect
 (4) Statement-I is correct but Statement-II is incorrect

Scan or tap for the full solution



Q.52 One of the products formed in the following reaction is [RE-NEET (UG) 2026]



Scan or tap for the full solution



Q.53 Given below are two statements :

In light of the above statements, choose the most appropriate answer from the options given below.

Statement-I: Heating NaCl with concentrated H_2SO_4 and MnO_2 results in oxidation of Mn.

Statement-II: Heating NaI with concentrated H_2SO_4 and MnO_2 results in reduction of Mn.

[RE-NEET (UG) 2026]

- (1) Statement-I is incorrect but Statement-II is correct
 (2) Both Statement-I and Statement-II are correct
 (3) Both Statement-I and Statement-II are incorrect
 (4) Statement-I is correct but Statement-II is incorrect

Scan or tap for the full solution



Q.54 Among the following options, the correct trend in the electron gain enthalpy is [RE-NEET (UG) 2026]

- (1) $\text{I} > \text{Br} > \text{Cl} > \text{F}$ (2) $\text{F} > \text{Cl} > \text{Br} > \text{I}$
 (3) $\text{Br} > \text{Cl} > \text{F} > \text{I}$ (4) $\text{Cl} > \text{F} > \text{Br} > \text{I}$

Scan or tap for the full solution



Q.55 Given below are two statements:

(Given: $\text{oxH}_2 = \text{HOOC} - \text{COOH}$)

In light of the above statements, choose the most appropriate answer from the options given below:

Statement-I: $[\text{Fe}(\text{ox})_3]^{3-}$ is chiral.

Statement-II: trans- $[\text{Cr}(\text{H}_2\text{O})_2(\text{ox})_2]^-$ is chiral.

[RE-NEET (UG) 2026]

- (1) Statement-I is incorrect but Statement-II is correct
 (2) Both Statement-I and Statement-II are correct
 (3) Both Statement-I and Statement-II are incorrect
 (4) Statement-I is correct but Statement-II is incorrect

Scan or tap for the full solution



Q.56 The correct statement about peptides and proteins is [RE-NEET (UG) 2026]

- (1) In α -helices, the polypeptide chain is twisted into a left-handed screw (helix) through intramolecular hydrogen bonds
 (2) Tertiary structure of proteins has two or more polypeptide subunits
 (3) Only the proteins having a quaternary structure are biologically active
 (4) In β -pleated sheet structures, peptide chains are held together by intermolecular hydrogen bonds

Scan or tap for the full solution



Q.57 Given below are two statements:

In light of the above statements, choose the most appropriate answer from the options given below.

Statement-I: Oxidation of p-nitrotoluene with acidic KMnO_4 gives an acid that is stronger than benzoic acid.

Statement-II: Reduction of p-nitrotoluene with Sn/HCl followed by neutralization gives an amine that is more basic than aniline.


[RE-NEET (UG) 2026]

- (1) Statement-I is incorrect but Statement-II is correct
 (2) Both Statement-I and Statement-II are correct
 (3) Both Statement-I and Statement-II are incorrect
 (4) Statement-I is correct but Statement-II is incorrect

Scan or tap for the full solution



Q.58 Identify the reactions which give aniline as the major product.



Choose the correct answer from the options given below.

[RE-NEET (UG) 2026]

- (1) C and D only (2) A and B only
 (3) B and D only (4) A and C only

Scan or tap for the full solution



Q.59 Two moles of an ideal gas undergo free expansion from 10 L to 100 L at 300 K. The values of ΔS_{system} and $\Delta S_{\text{surroundings}}$ are

(R is universal gas constant) [RE-NEET (UG) 2026]



- (1) $\Delta S_{\text{system}} = 4.606R$; $\Delta S_{\text{surroundings}} = 0$
 (2) $\Delta S_{\text{system}} = 0$; $\Delta S_{\text{surroundings}} = 0$
 (3) $\Delta S_{\text{system}} = 4.606R$; $\Delta S_{\text{surroundings}} = -4.606R$
 (4) $\Delta S_{\text{system}} = 0$; $\Delta S_{\text{surroundings}} = 4.606R$

Scan or tap for the full solution



Q.60 The compound that CANNOT be obtained from the aldol condensation reaction shown below, is

[RE-NEET (UG) 2026]



Scan or tap for the full solution



Q.61 The complex which has facial and meridional isomers is

(Given : py = pyridine and en = $\text{H}_2\text{N}-\text{CH}_2-\text{CH}_2-\text{NH}_2$)

[RE-NEET (UG) 2026]

- (1) $[\text{Ni}(\text{en})_2(\text{H}_2\text{O})_2]^{2+}$ (2) $[\text{Cr}(\text{py})_3(\text{Cl})_3]$
 (3) $[\text{Cr}(\text{H}_2\text{O})_6]^{3+}$ (4) $[\text{Co}(\text{NH}_3)_4(\text{H}_2\text{O})_2]^{3+}$

Scan or tap for the full solution



Q.62 The numbers 17.0145 and 21.0235 were rounded to three figures after the decimal point. The resulting numbers, respectively, are

[RE-NEET (UG) 2026]

- (1) 17.015 and 21.024 (2) 17.014 and 21.023
 (3) 17.015 and 21.023 (4) 17.014 and 21.024

Scan or tap for the full solution



Q.63 The amount of carbon dioxide evolved upon complete combustion of 116 g of n-butane is

(Given: atomic mass in amu H = 1, C = 12 and O = 16)


[RE-NEET (UG) 2026]

- (1) 362 g (2) 352 g (3) 322 g (4) 176 g

Scan or tap for the full solution



Q.64 Consider the following schematic plots of orbital wavefunction (ψ_r) against distance (r) from the nucleus.



The figure representing two radial nodes in the orbital is

[RE-NEET (UG) 2026]


- (1) D (2) A (3) B (4) C

Scan or tap for the full solution



Q.65 The following carbocation is stabilized by the interaction of the empty p orbital with

[RE-NEET (UG) 2026]



- (1) empty σ^* and empty π^* orbitals
 (2) filled σ and filled π orbitals
 (3) empty σ and empty π^* orbitals
 (4) empty σ^* and filled π orbitals

Scan or tap for the full solution



Q.66 A 1:3 electrolyte in an aqueous solution is

[RE-NEET (UG) 2026]

- (1) $[\text{Co}(\text{NH}_3)_3(\text{NO}_2)_3]$ (2) $[\text{CoCl}_2(\text{NH}_3)_4]\text{Cl}$
 (3) $[\text{CoCl}(\text{NH}_3)_5]\text{Cl}_2$ (4) $[\text{Co}(\text{NH}_3)_6]\text{Cl}_3$

Scan or tap for the full solution



Q.67 The standard electrode potential (E°) for the half-cell reaction $\text{Fe}^{3+} + e^- \longrightarrow \text{Fe}^{2+}$ at 298 K is (Given : $E^\circ(\text{Fe}^{3+}/\text{Fe}) = -0.04 \text{ V}$ and $E^\circ(\text{Fe}^{2+}/\text{Fe}) = -0.44 \text{ V}$ at 298 K)

[RE-NEET (UG) 2026]

- (1) +0.92 V (2) +0.40 V (3) +0.76 V (4) -0.48 V

Scan or tap for the full solution



Q.68 In potash alum, the ratio of K^+ and SO_4^{2-} ions is

[RE-NEET (UG) 2026]

- (1) 3:2 (2) 1:2 (3) 2:1 (4) 2:3

Scan or tap for the full solution



Q.69 Consider the following statements about the solutions formed by mixing two liquids.

- A. An ideal solution thus formed obeys Raoult's law throughout the composition range.
 B. Mixture of chloroform and acetone shows negative deviation from Raoult's law.
 C. Mixture of aniline and phenol shows positive deviation from Raoult's law

[RE-NEET (UG) 2026]

- (1) A and C only (2) A and B only
 (3) B and C only (4) A only

Scan or tap for the full solution



Q.70 For a salt XY, which is a strong electrolyte, the plot of Λ_m versus $\sqrt{c}$ has a slope of

$-90.0 \text{ S cm}^2 \text{ mol}^{-3/2} \text{ L}^{1/2}$ at 298 K. At 0.01 M concentration of XY, the value of Λ_m is $145.0 \text{ S cm}^2 \text{ mol}^{-1}$. The limiting molar conductivity of Y^- ion ($\lambda_{\text{Y}^-}^0$, in $\text{S cm}^2 \text{ mol}^{-1}$) at 298 K will be (Given : $\lambda_{\text{X}^+}^0 = 74.0 \text{ S cm}^2 \text{ mol}^{-1}$)

[RE-NEET (UG) 2026]

- (1) 76.0 (2) 80.0 (3) 100.0 (4) 90.0

Scan or tap for the full solution



Q.71 Arrange the following compounds in the increasing order of polarity

- A. $\text{CH}_3\text{CH}_2\text{OCH}_2\text{CH}_3$ B. $\text{CH}_3\text{CH}_2\text{OH}$
 C. CH_3COCH_3 D. CH_3COOH

Choose the correct answer from the options given below.

[RE-NEET (UG) 2026]

- (1) $\text{A} < \text{C} < \text{B} < \text{D}$ (2) $\text{A} < \text{B} < \text{C} < \text{D}$
 (3) $\text{C} < \text{A} < \text{D} < \text{B}$ (4) $\text{C} < \text{A} < \text{B} < \text{D}$

Scan or tap for the full solution



Q.72 According to crystal field theory, the correct order of ligands with respect to their decreasing order of field strength is

[RE-NEET (UG) 2026]

- (1) $\text{Cl}^- > \text{NH}_3 > \text{H}_2\text{O} > \text{CO}$
 (2) $\text{CO} > \text{NH}_3 > \text{H}_2\text{O} > \text{Cl}^-$
 (3) $\text{CO} > \text{H}_2\text{O} > \text{NH}_3 > \text{Cl}^-$
 (4) $\text{Cl}^- > \text{H}_2\text{O} > \text{NH}_3 > \text{CO}$

Scan or tap for the full solution



Q.73 The amino acid that gives a red-blood colour on treating its sodium fusion extract with sodium nitroprusside is

[RE-NEET (UG) 2026]

- (1) serine (2) leucine
 (3) threonine (4) methionine

Scan or tap for the full solution



Q.74 In an acidic medium, 10 mL of 0.25 M oxalic acid is titrated with KMnO_4 solution. If the volume of KMnO_4 solution required to reach end point is 10 mL, the strength of the KMnO_4 solution is

[RE-NEET (UG) 2026]

- (1) 0.15 M (2) 0.10 M (3) 0.20 M (4) 0.25 M

Scan or tap for the full solution



Q.75 The correct statement is [RE-NEET (UG) 2026]

- (1) Aluminium has five valence orbitals.
 (2) Boron has a maximum covalency of four.
 (3) Beryllium has three valence orbitals.
 (4) Magnesium has a maximum covalency of four.

Scan or tap for the full solution



Q.76 Among the following, the compound having conjugated double bonds is [RE-NEET (UG) 2026]

- (1) hepta-1,6-diene (2) hepta-1,3-diene
 (3) hepta-1,4-diene (4) hepta-1,5-diene

Scan or tap for the full solution



Q.77 $2A \xrightarrow{k} B$ is a zero-order reaction, where $k = 1.0 \text{ mol L}^{-1} \text{ min}^{-1}$. If the initial concentration of A is 2 M, then the time taken to complete 75% of the reaction will be [RE-NEET (UG) 2026]

- (1) 2.0 min (2) 1.5 min
 (3) 0.75 min (4) 1.0 min

Scan or tap for the full solution



Q.78 The correct order of solubility of the given salts in water at 298 K is

Salt	K_{sp} at 298 K
AgBr	5.0×10^{-13}
Zn(OH)_2	1.0×10^{-15}
Hg_2Cl_2	1.3×10^{-18}

[RE-NEET (UG) 2026]

- (1) $\text{Zn(OH)}_2 > \text{AgBr} > \text{Hg}_2\text{Cl}_2$
 (2) $\text{Hg}_2\text{Cl}_2 > \text{Zn(OH)}_2 > \text{AgBr}$
 (3) $\text{AgBr} > \text{Zn(OH)}_2 > \text{Hg}_2\text{Cl}_2$
 (4) $\text{Hg}_2\text{Cl}_2 > \text{AgBr} > \text{Zn(OH)}_2$

Scan or tap for the full solution



Q.79 The correct decreasing order of oxidation state of the underlined atom in each molecule is


[RE-NEET (UG) 2026]

- (1) $\text{P}_4\text{O}_6 > \text{Cl}_2\text{O}_7 > \text{AlH}_3$
 (2) $\text{P}_4\text{O}_{10} > \text{SO}_3 > \text{H}_2\text{O}$
 (3) $\text{N}_2\text{O}_5 > \text{Al}_2\text{O}_3 > \text{H}_2\text{S}$
 (4) $\text{PbO}_2 > \text{N}_2\text{O}_3 > \text{SO}_3$

Scan or tap for the full solution



Q.80 Consider the reversible processes for 1.0 mol of an ideal gas as shown in the figure.



w_1 , w_2 , w_3 and w_4 represent work done (in calories) in the processes 1, 2, 3 and 4, respectively; ΔU_2 and ΔU_4 are changes in the internal energy for the processes 2 and 4, respectively.

[use $R = 2 \text{ cal K}^{-1} \text{ mol}^{-1}$]

The correct option is

[RE-NEET (UG) 2026]

- (1) $w_1 + w_2 + w_3 + w_4 = 0$
 (2) $w_1 + w_3 = -2T_1 \ln \frac{V_2}{V_1} - 2T_2 \ln \frac{V_4}{V_3}$
 (3) $w_2 + w_4 = \Delta U_2 - \Delta U_4$
 (4) $w_1 + w_2 = 2T_1 \ln \frac{V_2}{V_1}$

Scan or tap for the full solution



Q.81 Assertion (A): For an ideal solution formed by mixing liquids P and Q, $\Delta_{mix}H = 0$ and $\Delta_{mix}V = 0$

Reason (R): No interactions occur between P and Q

In the light of the above statements, choose the most appropriate answer from the options given below.

[RE-NEET (UG) 2026]

- (1) A is not correct but R is correct
 (2) Both A and R are correct and R is the correct explanation of A
 (3) Both A and R are correct but R is NOT the correct explanation of A
 (4) A is correct but R is not correct

Scan or tap for the full solution



Q.82 Among the species given below, the spin-only magnetic moment is highest for

(Given: Atomic number of Ti = 22, Mn = 25, Fe = 26 and Co = 27)

[RE-NEET (UG) 2026]

- (1) $[\text{Ti}(\text{H}_2\text{O})_6]^{3+}$ (2) $[\text{Mn}(\text{CN})_6]^{3-}$
 (3) $[\text{Fe}(\text{CN})_6]^{3-}$ (4) $[\text{Co}(\text{NH}_3)_6]^{3+}$

Scan or tap for the full solution



Q.83 A protein undergoes reversible thermal denaturation from its initial state N to denatured state D according to $\text{N} \rightleftharpoons \text{D}$. At 60°C , the concentrations of both N and D are equal at equilibrium, and the standard enthalpy change of denaturation is 666 kJ mol^{-1} . The standard entropy change (ΔS° in $\text{kJ K}^{-1} \text{ mol}^{-1}$) of the protein upon denaturation at 60°C is closest to

[RE-NEET (UG) 2026]

- (1) 11.1 (2) 2.0 (3) 2000.0 (4) 333.0

Scan or tap for the full solution



Q.84 Given below are two statements: One is labelled as **Assertion A** and the other is labelled as **Reason R**.

In light of the above statements, choose the most appropriate answer from the options given below:

Assertion (A): Generally, 3d transition metals have high melting points.

Reason (R): Involvement of 3d-electrons in addition to 4s-electrons in the interatomic metallic bonding.

[RE-NEET (UG) 2026]

- (1) A is not correct but R is correct
 (2) Both A and R are correct and R is the correct explanation of A
 (3) Both A and R are correct and R is NOT the correct explanation of A
 (4) A is correct but R is not correct.

Scan or tap for the full solution



Q.85 Given below are two statements: One is labelled as **Assertion A** and the other is labelled as **Reason R**.

In light of the above statements, choose the most appropriate answer from the options given below:

Assertion (A): The first ionization enthalpy of O is lower than that of N and F.

Reason (R): The loss of an electron from O leads to stable half-filled p orbital

[RE-NEET (UG) 2026]


- (1) A is not correct but R is correct
 (2) Both A and R are correct and R is the correct explanation of A
 (3) Both A and R are correct and R is NOT the correct explanation of A
 (4) A is correct but R is not correct.

Scan or tap for the full solution



Q.86 Consider the following reaction sequences and choose the correct option.

[RE-NEET (UG) 2026]



- (1) M and N are stereoisomers
 (2) K and L are geometrical isomers
 (3) K and L are enantiomers
 (4) M and N are geometrical isomers

Scan or tap for the full solution



Q.87 The highest occupied molecular orbital for Ne_2 is

[RE-NEET (UG) 2026]

- (1) σ_{2p}^* (2) π_{2p} (3) σ_{2p} (4) π_{2p}^*

Scan or tap for the full solution



Q.88 Match the species in **List-I** with their geometry in **List-II**.

[RE-NEET (UG) 2026]

List-I		List-II	
A.	PCl_5	I.	Tetrahedral
B.	BrF_5	II.	Square Planar
C.	BF_4^-	III.	Trigonal bipyramidal
D.	$[\text{Ni}(\text{CN})_4]^{2-}$	IV.	Square pyramidal

- (1) A-III, B-II, C-I, D-IV (2) A-IV, B-III, C-I, D-II
 (3) A-III, B-IV, C-I, D-II (4) A-III, B-I, C-II, D-IV

Scan or tap for the full solution



Q.89 Match the vitamins in **List I** with their sources in **List II**

[RE-NEET (UG) 2026]

List I		List II	
A.	vitamin A	I.	meat
B.	vitamin B_{12}	II.	sunflower oil
C.	vitamin E	III.	green leafy vegetables
D.	vitamin K	IV.	carrots


- (1) A-III, B-I, C-IV, D-II (2) A-II, B-III, C-IV, D-I
 (3) A-IV, B-I, C-II, D-III (4) A-IV, B-II, C-I, D-III

Scan or tap for the full solution



Q.90 For the following reaction sequence, choose the correct option

[RE-NEET (UG) 2026]



- (1) Both P and Q are carbonyl compounds
- (2) If P is the sodium salt of a carboxylic acid, Q is a primary alcohol
- (3) P and Q are aromatic compounds
- (4) If P gives a carboxylic acid on acidification, Q gives a poisonous gas on exposure to air and light

Scan or tap for the full solution



Q.91 Given below are two statements:

Statement-I: The class name Reptilia refers to creeping or crawling mode of locomotion.

Statement-II: All organisms belonging to Reptilia have three chambered heart.

In the light of the above statements, choose the most appropriate answer from the options given below:

[RE-NEET (UG) 2026]

- (1) Statement-I is incorrect but Statement-II is correct
- (2) Both Statement-I and Statement-II are correct
- (3) Both Statement-I and Statement-II are incorrect
- (4) Statement-I is correct but Statement-II is incorrect

Scan or tap for the full solution



Q.92 How many turns of Calvin cycle are required for the formation of three molecules of glucose?

[RE-NEET (UG) 2026]

- (1) 18
- (2) 6
- (3) 3
- (4) 1

Scan or tap for the full solution



Q.93 Photorespiration reaction catalyzed by RuBisCo is shown below:



Identify "X" from the given options:

[RE-NEET (UG) 2026]

- (1) Malate
- (2) Phosphoenolpyruvate
- (3) 2-Phosphoglycolate
- (4) Oxaloacetate

Scan or tap for the full solution



Q.94 Given below are two statements:

Statement-I: In gymnosperms, the male and female gametophytes remain within the sporangia.

Statement-II: In gymnosperms, seeds are not covered.

In the light of the above statements, choose the most appropriate answer from the options given below:

[RE-NEET (UG) 2026]

- (1) Statement-I is incorrect but Statement-II is correct
- (2) Both Statement-I and Statement-II are correct
- (3) Both Statement-I and Statement-II are incorrect
- (4) Statement-I is correct but Statement-II is incorrect

Scan or tap for the full solution



Q.95 How many molecules of pyruvic acid are produced at the end of glycolysis from 206 molecules of glucose?

[RE-NEET (UG) 2026]

- (1) 412
- (2) 206
- (3) 309
- (4) 103

Scan or tap for the full solution



Q.96 Match List-I with List-II. [RE-NEET (UG) 2026]

List-I		List-II	
A.	Fusion of protoplasts between gametes	I.	Meiosis
B.	Fusion of two nuclei	II.	Plasmogamy
C.	Generation of haploid spores	III.	Karyogamy

- (1) A-I, B-III, C-II
- (2) A-II, B-III, C-I
- (3) A-II, B-I, C-III
- (4) A-III, B-II, C-I

Scan or tap for the full solution



Q.97 Mitochondrial inner membrane encloses _____.

[RE-NEET (UG) 2026]

- (1) aqueous humor
- (2) matrix
- (3) cytosol
- (4) mucus

Scan or tap for the full solution



Q.98 Phyllotaxy is the pattern of arrangement of _____.

[RE-NEET (UG) 2026]

- (1) sepals
- (2) leaves
- (3) flowers
- (4) fruits

Scan or tap for the full solution



Q.99 Mad cow disease is caused by _____.

[RE-NEET (UG) 2026]

- (1) *Mycoplasma* sp.
- (2) prions
- (3) viroids
- (4) *Aspergillus* sp.

Scan or tap for the full solution



Q.100 Cell theory was formulated by _____.

[RE-NEET (UG) 2026]

- (1) Antonie Von Leeuwenhoek
(2) Schleiden and Schwann
(3) Robert Brown
(4) Singer and Nicolson

Scan or tap for the full solution



Q.101 Which of the following plant growth regulators promotes internode elongation prior to flowering in cabbage? [RE-NEET (UG) 2026]

- (1) Ethephon (2) Absciscic acid
(3) Gibberellin (4) Indole butyric acid

Scan or tap for the full solution



Q.102 Which pigment has absorption peak at 700 nm in the photosynthetic reaction centre PS I (P700)? [RE-NEET (UG) 2026]

- (1) Carotenoids (2) Chlorophyll b
(3) Chlorophyll a (4) Xanthophylls

Scan or tap for the full solution



Q.103 Sphenopsida class belongs to _____.

[RE-NEET (UG) 2026]

- (1) pteridophytes (2) bryophytes
(3) angiosperms (4) gymnosperms

Scan or tap for the full solution



Q.104 Which of the following represents the correct sequence of arrangement of bones in the lower limb of humans? [RE-NEET (UG) 2026]

- (1) Femur-tarsal-patella-tibia
(2) Femur-tibia-patella-tarsal
(3) Patella-femur-tibia-tarsal
(4) Femur-patella-tibia-tarsal

Scan or tap for the full solution



Q.105 Which of the following plant growth regulators is used as herbicide? [RE-NEET (UG) 2026]

- (1) Gibberellin (2) 2,4-D
(3) Kinetin (4) Absciscic acid

Scan or tap for the full solution



Q.106 Genus represents _____.

[RE-NEET (UG) 2026]

- (1) a group of closely related families
(2) an individual plant or animal
(3) a population of plants and animals
(4) a group of closely related species

Scan or tap for the full solution



Q.107 The plastid that stores xanthophyll is known as _____. [RE-NEET (UG) 2026]

- (1) amyloplast (2) chloroplast
(3) chromoplast (4) aleuroplast

Scan or tap for the full solution



Q.108 In water, frogs respire using _____. [RE-NEET (UG) 2026]

- (1) trachea (2) skin
(3) buccal cavity (4) lungs

Scan or tap for the full solution



Q.109 Which of the following is not a characteristic of chordates? [RE-NEET (UG) 2026]

- (1) Presence of post anal part (tail)
(2) Presence of notochord
(3) Central nervous system is dorsal
(4) Absence of gills

Scan or tap for the full solution



Q.110 Smooth endoplasmic reticulum _____. [RE-NEET (UG) 2026]

- (1) is a site for the synthesis of carbohydrates
(2) has ribosomes attached to its surface
(3) is the major site for the synthesis of lipids
(4) is actively involved in protein synthesis

Scan or tap for the full solution



Q.111 Which of the following are characteristics of prokaryotic cells?

- A. Ribosomes are made of 50S and 30S subunits
B. They can have plasmids
C. They contain mesosome
D. They have peroxisomes [RE-NEET (UG) 2026]

- (1) (A), (B) and (C) only (2) (B) and (C) only
(3) (A) and (C) only (4) (A), (C) and (D) only

Scan or tap for the full solution



Q.112 Match List-I with List-II. [RE-NEET (UG) 2026]

List-I		List-II	
A.	Cristae	I.	Flat membrane sacs in stroma of chloroplast
B.	Cisternae	II.	Infoldings in mitochondria
C.	Thylakoids	III.	Cell membrane
D.	Phospholipid	IV.	Disc shaped sacs in the Golgi apparatus

- (1) A-IV, B-III, C-I, D-II (2) A-III, B-IV, C-I, D-II
(3) A-II, B-IV, C-I, D-III (4) A-II, B-IV, C-III, D-I

Scan or tap for the full solution



Q.113 Which of the following statements related to pituitary gland are correct?

- A. It is divided anatomically into adenohypophysis and neurohypophysis
B. It secretes follicle stimulating hormone
C. It secretes melanocyte stimulating hormone
D. It does not secrete prolactin

[RE-NEET (UG) 2026]

- (1) (B) and (C) only (2) (A) and (B) only
(3) (A), (B) and (C) only (4) (C) and (D) only

Scan or tap for the full solution



Q.114 Which of the following statements regarding photorespiration are correct?

- A. Does not occur in C_3 plants
B. CO_2 is consumed and O_2 is generated
C. Phosphoglycolate is formed
D. No synthesis of ATP and NADPH

[RE-NEET (UG) 2026]

- (1) (A) and (B) only (2) (A) and (D) only
(3) (C) and (D) only (4) (B) and (D) only

Scan or tap for the full solution



Q.115 Which of the following statements is incorrect?

[RE-NEET (UG) 2026]

- (1) Fibrinogen is produced from fibrin
(2) Blood coagulates in response to an injury
(3) Blood clot consists of fibrins
(4) Fibrin is produced from fibrinogen

Scan or tap for the full solution



Q.116 Arrange the following taxonomic categories in ascending order.

- A. Genus B. Class
C. Order D. Phylum
E. Family F. Kingdom
G. Species

[RE-NEET (UG) 2026]

- (1) (F), (C), (B), (G), (D), (E), (A)
(2) (G), (A), (E), (C), (B), (D), (F)
(3) (A), (C), (D), (G), (F), (B), (E)
(4) (G), (C), (D), (B), (E), (A), (F)

Scan or tap for the full solution



Q.117 Select the correct sequence of experiments that led to a gradual understanding of photosynthesis in green plants.

[RE-NEET (UG) 2026]

- (1) Production of glucose $\rightarrow$ role of air $\rightarrow$ release of oxygen $\rightarrow$ absorption spectra of chlorophyll a and b
(2) Absorption spectra of chlorophyll a and b $\rightarrow$ production of glucose $\rightarrow$ release of oxygen $\rightarrow$ role of air
(3) Role of air $\rightarrow$ release of oxygen $\rightarrow$ production of glucose $\rightarrow$ absorption spectra of chlorophyll a and b
(4) Release of oxygen $\rightarrow$ production of glucose $\rightarrow$ absorption spectra of chlorophyll a and b $\rightarrow$ role of air

Scan or tap for the full solution



Q.118 Match List-I with List-II.

[RE-NEET (UG) 2026]

List-I		List-II	
A.	Starch	I.	Fights infection
B.	Antibody	II.	Energy storage
C.	Concanavalin A	III.	Glucose transport
D.	Glut-4	IV.	Lectin

- (1) A-I, B-II, C-III, D-IV (2) A-I, B-II, C-IV, D-III
(3) A-II, B-I, C-IV, D-III (4) A-II, B-I, C-III, D-IV

Scan or tap for the full solution



Q.119 The number of vertebrae in a human is _____.

[RE-NEET (UG) 2026]

- (1) 206 (2) 7 (3) 12 (4) 26

Scan or tap for the full solution



Q.120 Endomembrane system includes _____.

[RE-NEET (UG) 2026]

- (1) Golgi complex, chloroplast, peroxisomes and vacuole
(2) endoplasmic reticulum, Golgi complex, lysosomes and vacuole
(3) endoplasmic reticulum, chloroplast, peroxisomes and vacuole
(4) mitochondria, chloroplast, peroxisomes and vacuole

Scan or tap for the full solution



Q.121 Length of the stem at time 0 is 20 cm. The arithmetic growth rate is 30 cm per day. What is the length of the stem at the end of the 7th day?

[RE-NEET (UG) 2026]

- (1) 460 cm (2) 50 cm (3) 170 cm (4) 230 cm

Scan or tap for the full solution



Q.122 Match List-I with List-II.

[RE-NEET (UG) 2026]

List-I		List-II	
A.	Spherical	I.	Vibrio
B.	Rod	II.	Cocci
C.	Comma	III.	Spirilla
D.	Spirillum	IV.	Bacilli

- (1) A-II, B-IV, C-I, D-III (2) A-I, B-III, C-II, D-IV
(3) A-III, B-II, C-I, D-IV (4) A-II, B-I, C-IV, D-III

Scan or tap for the full solution



Q.123 The number of action potentials generated by sino-atrial node (SAN) in a healthy human is _____ per minute. [RE-NEET (UG) 2026]

- (1) 120–140 (2) 28–30
(3) 70–75 (4) 100–110

Scan or tap for the full solution



Q.124 Match List-I with List-II. [RE-NEET (UG) 2026]

List-I		List-II	
A.	Family	I.	Sapindales
B.	Genus	II.	Dicotyledonae
C.	Class	III.	Anacardiaceae
D.	Phylum	IV.	Angiospermae
E.	Order	V.	<i>Mangifera</i>

- (1) A-III, B-V, C-II, D-IV, E-I
(2) A-I, B-V, C-II, D-IV, E-III
(3) A-II, B-I, C-III, D-IV, E-V
(4) A-II, B-III, C-V, D-I, E-IV

Scan or tap for the full solution



Q.125 Which of the following is not a part of human central neural system? [RE-NEET (UG) 2026]

- (1) Pericardium (2) Arachnoid
(3) Dura mater (4) Pia mater

Scan or tap for the full solution



Q.126 Given below are two statements:

Statement-I: Chromosomes are fully condensed at the end of prophase I.

Statement-II: Meiosis I resembles mitosis.

In the light of the above statements, choose the most appropriate answer from the options given below:

[RE-NEET (UG) 2026]

- (1) Statement-I is incorrect, but Statement-II is true
(2) Both Statement-I and Statement-II are true
(3) Both Statement-I and Statement-II are false
(4) Statement-I is correct, but Statement-II is false

Scan or tap for the full solution



Q.127 Match List-I with List-II. [RE-NEET (UG) 2026]

List-I		List-II	
A.	Marginal placentation	I.	<i>Argemone</i>
B.	Axile placentation	II.	Tomato
C.	Parietal placentation	III.	Primrose
D.	Free central placentation	IV.	Pea

- (1) A-IV, B-II, C-I, D-III (2) A-II, B-IV, C-I, D-III
(3) A-IV, B-II, C-III, D-I (4) A-IV, B-III, C-I, D-II

Scan or tap for the full solution



Q.128 Symbiotic associations between fungi and algae are called _____. [RE-NEET (UG) 2026]

- (1) chrysophytes (2) lichens
(3) sponges (4) mycorrhiza

Scan or tap for the full solution



Q.129 Which of the following is not a prokaryote? [RE-NEET (UG) 2026]

- (1) Fungi (2) Bacteria
(3) Blue green algae (4) *Mycoplasma*

Scan or tap for the full solution



Q.130 Arrange the following elements in descending order of their contribution to percentage weight of the human body.

- A. Oxygen B. Carbon
C. Hydrogen D. Nitrogen

[RE-NEET (UG) 2026]

- (1) B, A, C, D (2) A, B, C, D
(3) C, A, B, D (4) B, C, D, A

Scan or tap for the full solution



Q.131 Which one of the following statements is incorrect? [RE-NEET (UG) 2026]

- (1) β -cells of pancreas secrete insulin
(2) α -cells of pancreas secrete glucagon
(3) α -cells of pancreas secrete insulin
(4) Glucagon stimulates glycogenolysis

Scan or tap for the full solution



Q.132 Which of the following are characteristic features of Solanaceae family?

- A. Flowers are bisexual and actinomorphic
 B. Calyx has five sepals, which are united
 C. Androecium has five stamens, which are epipetalous
 D. Ovary is inferior [RE-NEET (UG) 2026]
- (1) B, C and D only (2) A, B and C only
 (3) D only (4) A and B only

Scan or tap for the full solution



Q.133 Given below are two statements:

Statement-I: When any plane passing through the central axis of the body divides the organism into two identical halves, it is called radial symmetry.

Statement-II: In phylum Echinodermata, both adults and larvae are radially symmetrical.

In the light of the above statements, choose the most appropriate answer from the options given below:

[RE-NEET (UG) 2026]

- (1) Statement-I is incorrect but Statement-II is correct
 (2) Both Statement-I and Statement-II are correct
 (3) Both Statement-I and Statement-II are incorrect
 (4) Statement-I is correct but Statement-II is incorrect

Scan or tap for the full solution



Q.134 The correct sequence of adult cell cycle phases is _____.

[RE-NEET (UG) 2026]

- (1) S - M - G₂ - G₁ (2) G₁ - G₂ - S - M
 (3) G₁ - M - G₂ - S (4) G₁ - S - G₂ - M

Scan or tap for the full solution



Q.135 In frogs, the number of pairs of cranial nerves arising from the brain are _____.

[RE-NEET (UG) 2026]

- (1) 12 (2) 6 (3) 9 (4) 10

Scan or tap for the full solution



Q.136 Given below are two statements: one is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A): In recombinant DNA technology, lysozyme is used for disrupting bacterial cells while cellulase is for plant cells.

Reason (R): Isolation of genetic material needs disruption of cells.

In the light of the above statements, choose the most appropriate answer from the options given below:

[RE-NEET (UG) 2026]

- (1) A is not correct but R is correct
 (2) Both A and R are correct and R is the correct explanation of A
 (3) Both A and R are correct but R is not the correct explanation of A
 (4) A is correct but R is not correct

Scan or tap for the full solution



Q.137 The method of directly injecting a sperm into ovum in assisted reproductive technology is called :

[RE-NEET (UG) 2026]

- (1) Embryo transfer (ET)
 (2) Gamete intra fallopian transfer (GIFT)
 (3) Zygote intra fallopian transfer (ZIFT)
 (4) Intra cytoplasmic sperm injection (ICSI)

Scan or tap for the full solution



Q.138 Adaptive radiation in placental mammals and Australian Marsupials leading to similarity between distant species is an example of _____.

[RE-NEET (UG) 2026]

- (1) genetic drift (2) divergent evolution
 (3) convergent evolution (4) founder effect

Scan or tap for the full solution



Q.139 Given below are two statements: one is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A): In an experiment, Mendel observed that the F₁ progeny plants are all tall and none are dwarf.

Reason (R): Stem height is a contrasting trait, with tall being dominant and dwarf being recessive.

In the light of the above statements, choose the most appropriate answer from the options given below:

[RE-NEET (UG) 2026]

- (1) A is not correct but R is correct
 (2) Both A and R are correct and R is the correct explanation of A
 (3) Both A and R are correct but R is not the correct explanation of A
 (4) A is correct but R is not correct

Scan or tap for the full solution



Q.140 Arrange the following in descending order of number of species in the Amazonian rain forest.

- A. Plants B. Birds
 C. Fishes D. Invertebrates
 E. Mammals

[RE-NEET (UG) 2026]

- (1) $B > A > D > C > E$ (2) $C > B > D > E > A$
 (3) $D > A > C > B > E$ (4) $E > B > A > C > D$

Scan or tap for the
full solution



Q.141 Sponges exchange O_2 with CO_2 by _____.

[RE-NEET (UG) 2026]

- (1) gills
 (2) simple diffusion over their entire body surfaces
 (3) moist cuticle
 (4) tracheal tubes

Scan or tap for the
full solution



Q.142 For a person with blood group 'O', which of the following is not a possible combination of parents' blood group genotypes? [RE-NEET (UG) 2026]

- (1) Father : $I^A I^B$ and Mother : $I^A i$
 (2) Father : $I^A i$ and Mother : $I^A i$
 (3) Father : $I^A i$ and Mother : $I^B i$
 (4) Father : $I^B i$ and Mother : $I^B i$

Scan or tap for the
full solution



Q.143 Given below are two statements:

Statement-I: Modern *Homo sapiens* arose in Australia and moved across continents.

Statement-II: *Homo sapiens* arose around 75000 to 10000 years ago.

In the light of the above statements, choose the most appropriate answer from the options given below:

[RE-NEET (UG) 2026]

- (1) Statement-I is incorrect but Statement-II is correct
 (2) Both Statement-I and Statement-II are correct
 (3) Both Statement-I and Statement-II are incorrect
 (4) Statement-I is correct but Statement-II is incorrect

Scan or tap for the
full solution



Q.144 Which of the following is used as an effective sedative and painkiller for treating post-surgery patients? [RE-NEET (UG) 2026]

- (1) Anti-retroviral drugs (2) Interferon
 (3) Antibiotics (4) Morphine

Scan or tap for the
full solution



Q.145 Which of the following plants produces non-albuminous seeds? [RE-NEET (UG) 2026]

- (1) Pea (2) Wheat (3) Maize (4) Barley

Scan or tap for the
full solution



Q.146 Given below are two statements: one is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A): Abingdon tortoise in Galapagos islands became extinct within a decade after goats were introduced.

Reason (R): Goats were more efficient at browsing than Abingdon tortoise.

In the light of the above statements, choose the most appropriate answer from the options given below:

[RE-NEET (UG) 2026]

- (1) A is not correct but R is correct
 (2) Both A and R are correct and R is the correct explanation of A
 (3) Both A and R are correct but R is not the correct explanation of A
 (4) A is correct but R is not correct

Scan or tap for the
full solution



Q.147 The covering of ovum at ovulation is _____.

[RE-NEET (UG) 2026]

- (1) chorion (2) endometrium
 (3) zona radiata (4) zona pellucida

Scan or tap for the
full solution



Q.148 Which of the following is used as a clot buster? [RE-NEET (UG) 2026]

- (1) Statins (2) Streptokinase
 (3) Penicillin (4) Cyclosporin A

Scan or tap for the
full solution



Q.149 Which of the following structure is not a part of the male reproductive system? [RE-NEET (UG) 2026]

- (1) Infundibulum (2) Rete testis
 (3) Epididymis (4) Vasa efferentia

Scan or tap for the
full solution



Q.150 Given below are two statements:

Statement-I: Ovulation is caused by LH surge leading to rupture of Graafian follicles.

Statement-II: Graafian follicle remaining after ovulation transforms into corpus luteum and secretes large amount of estrogen.

In the light of the above statements, choose the most appropriate answer from the options given below:

[RE-NEET (UG) 2026]

- (1) Statement-I is incorrect but Statement-II is correct
 (2) Both Statement-I and Statement-II are correct
 (3) Both Statement-I and Statement-II are incorrect
 (4) Statement-I is correct but Statement-II is incorrect

Scan or tap for the full solution



Q.151 The opening between the right atrium and the right ventricle is guarded by _____.

[RE-NEET (UG) 2026]

- (1) sino-atrial node (2) bicuspid valve
 (3) tricuspid valve (4) semilunar valve

Scan or tap for the full solution



Q.152 Which of the following is not evidence for evolution?

[RE-NEET (UG) 2026]

- (1) Divergent evolution of anatomical structures such as forelimbs
 (2) Convergent evolution of traits like wings of birds and butterflies
 (3) Paleontological evidence from fossil records
 (4) Embryological support for evolution as proposed by Ernst Haeckel

Scan or tap for the full solution



Q.153 The inactive form of Bt toxin is converted to the active form in the insect gut _____.

[RE-NEET (UG) 2026]

- (1) by nucleases (2) due to alkaline pH
 (3) due to acidic pH (4) by proteases

Scan or tap for the full solution



Q.154 Colostrum, secreted by mother during initial days of lactation, is abundant in _____.

[RE-NEET (UG) 2026]

- (1) IgD (2) IgG (3) IgM (4) IgA

Scan or tap for the full solution



Q.155 Which of the following in female gametophyte of an angiosperm helps in guiding the pollen tube for fertilizing the eggs?

[RE-NEET (UG) 2026]

- (1) Polar nucleus (2) Antipodals
 (3) Synergids (4) Central cells

Scan or tap for the full solution



Q.156 Which of the following diseases is not sexually transmitted?

[RE-NEET (UG) 2026]

- (1) Genital warts (2) Syphilis
 (3) Tuberculosis (4) Gonorrhoea

Scan or tap for the full solution



Q.157 Which of the following statements about lac-operon is correct?

[RE-NEET (UG) 2026]

- (1) Galactose can act as an inducer of lac operon
 (2) Gene i is constitutively expressed
 (3) Lactose activates repressor to bind to the operator
 (4) Genes i, z, y and a share single common promoter

Scan or tap for the full solution



Q.158 Match List-I with List-II. [RE-NEET (UG) 2026]

List-I		List-II	
A.	Transformation	I.	Restriction enzyme
B.	Cloning site	II.	Transfer DNA to host bacteria
C.	Selection	III.	Replication
D.	Ori	IV.	Antibiotic

- (1) A-IV, B-I, C-III, D-II (2) A-II, B-I, C-IV, D-III
 (3) A-I, B-II, C-IV, D-III (4) A-III, B-IV, C-II, D-I

Scan or tap for the full solution



Q.159 A population of diploid organisms is at Hardy-Weinberg equilibrium. If the frequency of allele A is 0.1, the frequency of AA is _____.

[RE-NEET (UG) 2026]

- (1) 0.99 (2) 0.01 (3) 0.02 (4) 0.10

Scan or tap for the full solution



Q.160 Sperm motility is due to _____.

[RE-NEET (UG) 2026]

- (1) muscular movement (2) flagellar movement
 (3) ciliary movement (4) amoeboid movement

Scan or tap for the full solution



Q.161 Consider a population of 10 million cells. Given the per-capita birth rate of 0.002 (per unit time) and the per-capita death rate of 0.002 (per unit time), the expected number of cells after 10 generations is _____.

[RE-NEET (UG) 2026]

- (1) 100 million (2) 1 million
 (3) 5 million (4) 10 million

Scan or tap for the full solution



Q.162 Given below are two statements: one is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A): Forelimbs of human and bats are homologous.

Reason (R): Forelimbs of humans and bats have similar anatomical structure.

In the light of the above statements, choose the most appropriate answer from the options given below:

[RE-NEET (UG) 2026]

- (1) A is false but R is true
- (2) Both A and R are correct and R is the correct explanation of A
- (3) Both A and R are true, but R is not the correct explanation of A
- (4) A is true but R is false

Scan or tap for the full solution



Q.163 Muscle contraction is initiated by a signal sent by the central nervous system by the release of ____.

[RE-NEET (UG) 2026]

- (1) cyclic adenosine monophosphate
- (2) acetylcholine
- (3) acetyl coenzyme A
- (4) cyclic guanosine monophosphate

Scan or tap for the full solution



Q.164 Which of the following hormones is not secreted by human placenta?

[RE-NEET (UG) 2026]

- (1) LH
- (2) hCG
- (3) Estrogen
- (4) Progesterone

Scan or tap for the full solution



Q.165 Which of the following statements is correct about *Plasmodium*?

[RE-NEET (UG) 2026]

- (1) Fertilization takes place in mosquito gut
- (2) Reproduces sexually in liver cells
- (3) Reproduces sexually in RBCs
- (4) Gametocytes develop in mosquito gut

Scan or tap for the full solution



Q.166 Which of the following are primary consumers in a food chain?

[RE-NEET (UG) 2026]

- (1) Carnivores
- (2) Parasites
- (3) Predators
- (4) Herbivores

Scan or tap for the full solution



Q.167 Which of the following statements about the reabsorption process in Henle's loop are correct?

A. The descending limb of Henle's loop is permeable to water but almost impermeable to

electrolytes.

- B. Urine gets concentrated in Henle's loop.
- C. Reabsorption of Na^+ and water takes place in Henle's loop.
- D. Active or passive transport of electrolytes occurs in the ascending limb of Henle's loop.

[RE-NEET (UG) 2026]

- (1) A, B and D only
- (2) A and B only
- (3) B, C and D only
- (4) A, B and C only

Scan or tap for the full solution



Q.168 Given below are two statements: one is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A): The logistic growth model of populations is considered more realistic than the exponential growth model.

Reason (R): Resources are finite.

In the light of the above statements, choose the most appropriate answer from the options given below:

[RE-NEET (UG) 2026]

- (1) A is not correct but R is correct
- (2) Both A and R are correct and R is the correct explanation of A
- (3) Both A and R are correct but R is not the correct explanation of A
- (4) A is correct but R is not correct

Scan or tap for the full solution



Q.169 Which of the following is the correct order of arrangement of vertebral column from the head to toe?

[RE-NEET (UG) 2026]

- (1) Cervical vertebra, thoracic vertebra, lumbar vertebra, sacrum
- (2) Cervical vertebra, thoracic vertebra, sacrum, lumbar vertebra
- (3) Sacrum, lumbar vertebra, thoracic vertebra, cervical vertebra
- (4) Cervical vertebra, lumbar vertebra, thoracic vertebra, sacrum

Scan or tap for the full solution



Q.170 Match List-I with List-II.

[RE-NEET (UG) 2026]

List-I		List-II	
A.	Both species are harmed	I.	Predation
B.	One species is harmed and the other is benefited	II.	Mutualism
C.	Both species are benefited	III.	Competition

List-I		List-II	
D.	One is benefited while the other has no effect	IV.	Commensalism

- (1) A-III, B-I, C-II, D-IV (2) A-III, B-IV, C-II, D-I
(3) A-I, B-II, C-III, D-IV (4) A-II, B-I, C-IV, D-III

Scan or tap for the full solution



Q.171 If the diploid chromosome number of typical angiosperm is 36, what would be the chromosome number in its endosperm? [RE-NEET (UG) 2026]

- (1) 72 (2) 18 (3) 36 (4) 54

Scan or tap for the full solution



Q.172 Which of the following enzymes synthesizes precursor mRNA? [RE-NEET (UG) 2026]

- (1) DNA polymerase (2) RNA polymerase I
(3) RNA polymerase II (4) RNA polymerase III

Scan or tap for the full solution



Q.173 Given below are two statements:

Statement-I: Plasmids are autonomously replicating DNA.

Statement-II: Plasmids are extrachromosomal DNA.

In the light of the above statements, choose the most appropriate answer from the options given below:

[RE-NEET (UG) 2026]

- (1) Statement-I is incorrect but Statement-II is correct
(2) Both Statement-I and Statement-II are correct
(3) Both Statement-I and Statement-II are incorrect
(4) Statement-I is correct but Statement-II is incorrect

Scan or tap for the full solution



Q.174 How many thecae are present in each lobe of a typical bilobed angiosperm anther?

[RE-NEET (UG) 2026]

- (1) 12 (2) 2 (3) 6 (4) 8

Scan or tap for the full solution



Q.175 Natural selection can lead to _____.

- A. stabilisation B. genetic drift
C. directional change D. disruption

[RE-NEET (UG) 2026]

- (1) A and C only (2) A only
(3) A, C and D only (4) A, B, C and D

Scan or tap for the full solution



Q.176 Which of the following statements are correct?

- A. Energy flow from producers to consumers is unidirectional
B. Energy pyramid can never be inverted
C. Transfer of energy follows the 1% law

[RE-NEET (UG) 2026]

- (1) B and C only (2) A, B and C
(3) A and B only (4) A and C only

Scan or tap for the full solution



Q.177 Match List-I with List-II. [RE-NEET (UG) 2026]

List-I		List-II	
A.	Excess growth hormone	I.	Reabsorption of water and electrolytes in kidney
B.	Luteinizing hormone	II.	Contraction of uterus during child birth
C.	Vasopressin	III.	Acromegaly
D.	Oxytocin	IV.	Ovulation

- (1) A-IV, B-III, C-I, D-II (2) A-III, B-IV, C-II, D-I
(3) A-III, B-IV, C-I, D-II (4) A-II, B-IV, C-I, D-III

Scan or tap for the full solution



Q.178 Which of the following are secondary lymphoid organs?

- A. Bone marrow B. Tonsils
C. Spleen D. Thymus

[RE-NEET (UG) 2026]

- (1) A and D only (2) A and B only
(3) B and C only (4) B and D only

Scan or tap for the full solution



Q.179 During PCR, primers bind to the DNA strands in the _____ step. [RE-NEET (UG) 2026]

- (1) ligation (2) denaturation
(3) extension (4) annealing

Scan or tap for the full solution



Q.180 Given below are two statements:

Statement-I: Down's syndrome is caused by the absence of one of the X-chromosomes.

Statement-II: Turner's syndrome is caused by the presence of an additional copy of the chromosomes.

In the light of the above statements, choose the correct answer from the options given below:

[RE-NEET (UG) 2026]

- (1) Statement-I is incorrect but Statement-II is correct
 (2) Both Statement-I and Statement-II are correct
 (3) Both Statement-I and Statement-II are incorrect
 (4) Statement-I is correct but Statement-II is incorrect

Scan or tap for the
full solution



Ques.	162	163	164	165	166	167	168
Ans.	2	2	1	1	4	1	2
Ques.	169	170	171	172	173	174	175
Ans.	1	1	4	3	2	2	3
Ques.	176	177	178	179	180		
Ans.	3	3	3	4	3		

ANSWER KEY

Ques.	1	2	3	4	5	6	7
Ans.	4	1	4	2	4	2	2
Ques.	8	9	10	11	12	13	14
Ans.	3	2	4	2	1	1	3
Ques.	15	16	17	18	19	20	21
Ans.	4	4	4	2	1	2	4
Ques.	22	23	24	25	26	27	28
Ans.	3, 4	1	3	4	2	3	4
Ques.	29	30	31	32	33	34	35
Ans.	4	3	3	1	1	1	4
Ques.	36	37	38	39	40	41	42
Ans.	2	4	2	2	—	3	4
Ques.	43	44	45	46	47	48	49
Ans.	4	3	3	1	1	1	4
Ques.	50	51	52	53	54	55	56
Ans.	2	1	1	1	4	4	4
Ques.	57	58	59	60	61	62	63
Ans.	2	3	1	2	2	4	2
Ques.	64	65	66	67	68	69	70
Ans.	4	2	4	3	2	2	2
Ques.	71	72	73	74	75	76	77
Ans.	1	2	4	2	2	2	3
Ques.	78	79	80	81	82	83	84
Ans.	1	3	2	4	2	2	2
Ques.	85	86	87	88	89	90	91
Ans.	2	2	1	3	3	4	4
Ques.	92	93	94	95	96	97	98
Ans.	1	3	2	1	2	2	2
Ques.	99	100	101	102	103	104	105
Ans.	2	2	3	3	1	4	2
Ques.	106	107	108	109	110	111	112
Ans.	4	3	2	4	3	1	3
Ques.	113	114	115	116	117	118	119
Ans.	3	3	1	2	3	3	4
Ques.	120	121	122	123	124	125	126
Ans.	2	4	1	3	1	1	4
Ques.	127	128	129	130	131	132	133
Ans.	1	2	1	2	3	2	4
Ques.	134	135	136	137	138	139	140
Ans.	4	4	2	4	3	2	3
Ques.	141	142	143	144	145	146	147
Ans.	2	1	1	4	1	2	4
Ques.	148	149	150	151	152	153	154
Ans.	2	1	4	3	4	2	4
Ques.	155	156	157	158	159	160	161
Ans.	3	3	2	2	2	2	4